



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

MORBIDITY AND MORTALITY—Continued.

Weekly morbidity and mortality table, cities of the United States—Continued.

Cities.	Week ended—	Total deaths from all causes.	Tuberculosis.		Enteric fever.		Scarlet fever.		Diphtheria.		Measles.		Whooping cough.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Everett, Mass.	Aug. 20	7	1	2					2					
Freeport, Ill.	do	6		1										
Glendive, Mont.	do	7			4									
Greenboro, N. C.	do	0			3				1					
Harrison, N. J.	do	3					2		1					
Hartford, Conn.	do	36	3	2	1	3	1		9					
Homestead, Pa.	July 21	8	5		1		2	1			2			
Do.	July 28	14					7				2		1	
Do.	Aug. 7	5			3		8				3		2	
Do.	Aug. 14	10			2	4			2	1	4		1	
Jersey City, N. J.	Aug. 27	90	11	9			3		4		1			
Kingston, N. J.	Aug. 20	3												
Knoxville, Tenn.	Aug. 13	8		1	8									
Do.	Aug. 20	19		1		1								
Lancaster, Pa.	do	12		1	4		1		1				1	
Los Angeles, Cal.	Aug. 13	79	15	8	3	2	5				1		2	1
Lynchburg, Va.	Aug. 20				6				2					
Malden, Mass.	do	16			1		1		1					
Manchester, N. H.	do	27	1	1	2				1					
Manistee, Mich.	do	0											4	
Massillon, Ohio	do	5							1					
Melrose, Mass.	do	6	1	1	1									
Moline, Ill.	do	4	1				1							
Mount Vernon, N. Y.	do	10		1					1				1	
Nanticoke, Pa.	do	3	1				1		2					
New Orleans, La.	Aug. 13	122	46	12	12	3	4		2	1	5			
Newport, Ky.	Aug. 20	15			3									
New York City, N. Y.	do	1,342	675	170	129	12	85	1	189	17	81	5	31	9
Niagara Falls, N. Y.	do	10	2	1			1							
Northampton, Mass.	do	3			1									
Orange, N. J.	do	12	1	2	3		1							
Ottumwa, Iowa	do	11												
Palmer, Mass.	do	4			2									
Peekskill, N. Y.	Aug. 13	6	2											
Do.	Aug. 20	6	1	1	1		3		2		3			
Pittsburg, Pa.	Aug. 6	167	25	9	16	4	14		12	2	28	27	19	3
Pittsfield, Mass.	Aug. 20	9	1		1	1							1	
Portsmouth, N. H.	Aug. 20				2				2					
Portsmouth, Va.	do	9			4	1					1			
Pottstown, Pa.	do	5		1	3									
Providence, R. I.	do	80	1	9	4		2		2					2
Reading, Pa.	Aug. 22	37	2	4	19				1				11	
St. Louis, Mo.	Aug. 27	205	45	10	28	4	14	1	12		23	1	18	
South Bend, Ind.	Aug. 20	12		1										
Spokane, Wash.	Aug. 13	19		1	16		2		3		3			
Do.	Aug. 20	32		4	12		4	1	3	1	3			
Springfield, Mass.	do	30		3	4				7		2		2	
Taunton, Mass.	do	24	1											
Terre Haute, Ind.	Aug. 13	13		3	1	1	5							
Do.	Aug. 20	41		5		1	2	1	2					
Waltham, Mass.	do	6			2	2								
Washington, D. C.	do	100	29	11	34	1	4		5		1		12	2
Do.	Aug. 27	119	35	17	34	3	4		3	1			16	2
Wilkesbarre, Pa.	Aug. 20	27	4		15	2	2		1	1				
Williamsport, Pa.	do	11			1	1							2	
Yonkers, N. Y.	do	24	6	3	5				2		2			

STATISTICAL REPORTS OF MORBIDITY AND MORTALITY, STATES AND CITIES OF THE UNITED STATES (untabulated).

CALIFORNIA—*San Diego*.—Month of July, 1910. Population, 45,000. Total number of deaths from all causes 48, including tuberculosis 8. Cases reported: Scarlet fever 3; diphtheria 2.

COLORADO—*Denver*.—Month of July, 1910. Population 153,522. Total number of deaths from all causes 298, including typhoid fever

3, measles 1, scarlet fever 1, diphtheria 3, tuberculosis 64. Cases reported: Typhoid fever 81, smallpox 19, measles 36, scarlet fever 33, diphtheria 60.

FLORIDA.—Reports from the state board of health show as follows: Week ended August 6, 1910. Typhoid fever was present in 8 localities with 40 cases, smallpox in 5 counties with 7 cases, diphtheria in 1 locality (Pensacola) with 1 case, malaria in 4 localities with 4 cases, tuberculosis in 6 localities with 10 cases.

Week ended August 13, 1910. Typhoid fever present in 7 localities with 23 cases, smallpox in 2 counties with 5 cases, diphtheria in 3 localities with 4 cases and 1 death, malaria in 4 localities with 8 cases, tuberculosis in 4 localities with 5 cases.

MICHIGAN.—Month of June, 1910. Population, 2,668,308. Total number of deaths from all causes, 2,997, including typhoid fever 20, smallpox 1 (Bay City), pellagra 1, measles 32, scarlet fever 22, diphtheria 35, tuberculosis 205. Cases reported: Typhoid fever 85 in 51 localities, measles 1,366 in 67 localities, smallpox 339 in 82 localities, scarlet fever 404 in 83 localities, diphtheria 188 in 60 localities, tuberculosis 133.

NEW YORK.—Month of July, 1910. Population, 8,871,720. Total number of deaths from all causes, 10,893, including typhoid fever 70, smallpox 2, measles 136, scarlet fever 138, diphtheria 197, tuberculosis 1,268. Cases reported: Typhoid fever 356, smallpox 44, measles 6,837, scarlet fever 2,477, diphtheria 1,835, tuberculosis 2,692.

Troy.—Month of June, 1910. Population, 77,650. Total number of deaths from all causes 114, including typhoid fever 1, scarlet fever 2, diphtheria 2, tuberculosis 10. Cases reported: Typhoid fever 3, scarlet fever 13, measles 72, diphtheria 3, tubercular diseases 14.

NORTH CAROLINA.—Reports from the state board of health for the month of June, 1910, show typhoid fever present in 63 counties, smallpox in 38 counties, measles in 29 counties, scarlet fever in 13 counties, malarial fever in 5 counties, pernicious malarial fever in 4 counties, hemorrhagic malarial fever in 4 counties, and pellagra in 2 counties.

OKLAHOMA.—Month of May, 1910. Population 1,681,584. Total number of deaths from all causes 721, including typhoid fever 15, smallpox 10, scarlet fever 6, diphtheria 6, tuberculosis 56. Cases reported: Typhoid fever 41, smallpox 214, scarlet fever 60, diphtheria 35, tuberculosis 97.

OREGON.—Month of April, 1910. Population 515,540. Total number of deaths from all causes 480, including typhoid fever 11, scarlet fever 4, diphtheria 9, tuberculosis 56. Cases reported: Typhoid fever 14, smallpox 12, measles 224, scarlet fever 151, diphtheria 36, tuberculosis 33.

Month of May, 1910. Total number of deaths 531, including typhoid fever 11, measles 3, scarlet fever 19, diphtheria 13, tuberculosis 58.

Cases reported: Typhoid fever 9, smallpox 12, measles 313, scarlet fever 204, diphtheria 58, tuberculosis 21.

Month of June, 1910. Total number of deaths 412, including typhoid fever 7, scarlet fever 11, diphtheria 3, tuberculosis 34. Cases reported: Typhoid fever 33, smallpox 14, measles 161, scarlet fever 68, diphtheria 27, tuberculosis 14.

Portland.—Month of June, 1910. Population 265,000. Total number of deaths from all causes 169, including typhoid fever 5, pellagra 1, diphtheria 1, tuberculosis 13. Cases reported: Typhoid fever 11, measles 107, scarlet fever 32, diphtheria 22, tuberculosis, pulmonary, 12.

PENNSYLVANIA.—Month of May, 1910. Total number of deaths 9,007, of which 92 were caused by typhoid fever, 112 by scarlet fever, 164 by diphtheria, 170 by measles, 86 by whooping cough, 3 by smallpox, 72 by influenza, 8 by malarial fever, 732 by tuberculosis of the lungs, 128 by other forms of tuberculosis, 405 by cancer, 60 by diabetes, 66 by meningitis, 1,092 by pneumonia, 241 by diarrhea and enteritis (under 2 years), 72 by diarrhea and enteritis (over 2 years), 496 by Bright's disease, 532 by diseases of early infancy, 91 by suicide, 89 by accidents in mines and quarries, 120 by railway injuries, 383 by other forms of violence, 3,783 by all other diseases.

Month of June, 1910. The total number of cases of communicable diseases was 10,340, distributed as follows: Anthrax 2, cerebro-spinal meningitis 12, chickenpox 360, diphtheria 871, erysipelas 119, German measles 180, hydrophobia 2, malarial fever 10, measles 4,738, mumps 412, pneumonia 353, puerperal fever 5, scarlet fever 1,005, smallpox 7, tetanus 12, trachoma 5, tuberculosis 1,128, typhoid fever 424, whooping cough 695.

SOUTH CAROLINA.—*Charleston.*—Month of July, 1910. Population 57,593. Total number of deaths from all causes 132, including typhoid fever 4, pellagra 2, diphtheria 1, tuberculosis 17. Cases reported: Typhoid fever 21, diphtheria 10, smallpox 12.

TEXAS—*Fort Worth.*—Month of July, 1910. Population 60,000. Total number of deaths from all causes 84, including typhoid fever 9, tuberculosis 6. Cases reported: Typhoid fever 17, smallpox 1, measles 1, scarlet fever 1, tuberculosis 6.

UTAH.—Month of June, 1910. Population 346,873. Total number of deaths from all causes 284, including typhoid fever 6, smallpox 1, scarlet fever 9, diphtheria 4, tuberculosis 6. Cases reported: Typhoid fever 31, smallpox 27, measles 36, scarlet fever 201, diphtheria 33, tuberculosis 10.

Salt Lake City.—Month of July, 1910. Population 85,000. Total number of deaths from all causes 106, including typhoid fever 5, scarlet fever 2, tuberculosis 7. Cases reported: Typhoid fever 21, smallpox 3, measles 7, scarlet fever 44, diphtheria 2.